

What code and what does it mean?

In the early nineties we started to engrave a code at the lower end of the mast section.

For example, the code for a furling mast for a Bavaria 33 is **D23-F194-8723**

D=Deckstepped (K=Keelstepped)

2=Number of spreaders

3=Rig type (1=Masthead, 2=Masthead tapered, 3=Fractional, 4=Fractional tapered)

F194=Furling mast 194/101 section.

8723=Seldén's code for this particular boat.

Boat	Code	Mast	Boom
Bavaria 30Cr	8719	F194	B143
	8718	C193	B143
Bavaria 31	8457	E138	B120
	8458	R190	B120
	8733	F194	B143;B152
	8732	C193	B143;B152
Bavaria 32	5691	E155	B143
	8494	R190	B143
	8700	C175	B143;B152
	8701	F176	B143;B152
Bavaria 32 CR	8755N	F176	B135
	8754N	C175	B135
Bavaria 33Cr	8723	F194	B143;B152
	8722	C193	B143;B152
Bavaria 34	1111	E170	B171
	8456	R190	B171
	8735	F194	B152
	8734	C193	B152
Bavaria 35 Match	8751	C211	B143;B230
Bavaria 38 Match	0079A	C211	B171
Bavaria 38 Match MK II	8752	C211	B143
Bavaria 35 CR	8735NS	F194	B152
	8734NS	C193	B152
Bavaria 36	8502	E170	B171
	8503	R213	B171
	8702	C193	B171
	8703	F194	B171
Bavaria 36 CR	8763	F228	B200
	8762	C211	B200
Bavaria 37	8444	E170	B143
	8724	C211	B171
	8725	F212	B171
	8443	R213	B143
Bavaria 38	8505	E189	B200
	8506	R235	B200
	8704	C227	B200

Boat	Code	Mast	Boom
Bavaria 38	8705	F228	B200
	8737NS	F212	B171
	8736NS	C211	B171
Bavaria 39	8721	F246	B171;B200
	8720	C245	B171;B200
Bavaria 40 AC	8484	E189	B171
	8483	R235	B171
Bavaria 40 OC	8482	E206	B171
	8485	R235	B171
Bavaria 40 Cr	8738N	C245	B200
	8739NS	F246	B200
Bavaria 40 Vision	8761	F246	B200
	8760	C245	B200
	8726	C264	B200
Bavaria 41 AC	8727	F265	B200
	8003	E206	B200
Bavaria 42	8004	R232	B200
	8708	C245	B200
	8709	F246	B200
Bavaria 42 OC	1104	E206	B171
	8415	R232	B171
	8706	C245	B200
	8707	F246	B200
Bavaria 42 Match	8405	E206	B171
	1093	R232	B171
Bavaria 43 Cr	8750	C227	B171
	8742	C245	B200
Bavaria 44 AC	8743	F246	B200
	3368	E224	B171
	8001	E224	B200
	8488	R232	B171
Bavaria 44 AC	8711	F246	B200
	8710	C245	B200

Boat	Code	Mast	Boom
Bavaria 44 OC	8489	E224	B171
	8490	R260	B171
Bavaria 44 Vision	8728	C285	B250
	8729	F286	B250
Bavaria 46	8713	F265	B250
	8712	C285	B250
Bavaria 47 AC	8475	E237	B200
	8474	R260 or R290	B200 or B250
Bavaria 47 OC	8470	E274	B200
	8471	R290	B200
Bavaria 47 Cr	8747	F286	B250
	8746	C285	B250

Boat	Code	Mast	Boom
Bavaria 49	8510	E274	B200
	8509	R290	B200
	8714	C285	B200
	8715	F286	B200
Bavaria 50	8449	E274	B200
	8416	R290	B200
	8716	C285	B200
	8717	F286	B250
Bavaria 50 Vision	8730	C304	B250
	8731	F305	B250
Bavaria 51 Cr	8748	C285	B250
	8749	F286	B250

BAVARIA 30**Mast item no****Main dimensions****RM @ 30° heel
kNm**

Furling mast	D13-F194-8719	P= 11060 mm, E= 4110 mm, SPL= 2950 mm	20
Conventional mast	D13-C193-8718	P= 11250 mm, E= 4110 mm, SPL= 2950 mm	20

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-509-01	Spi pole track, T-25, L=2400, R34	1	149
	511-553-03	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	9 m	
Spinnaker pole kit, aluminium	060-060-54	Max pole length 3760 mm.	1	140
Spinnaker pole kit, carbon	076-076-01	Bavaria 30 SPL = 2950 mm	1	141
Telescopic pole	060-060-58	Tele pole 60/48 SPL 3000-4500	1	132
Gennaker Bowsprit, kit	075-075-70		1	150
Gennaker Bowsprit, bowring	508-783-02	Location + method of assembly to be decided by installer.	1	151
Rodkicker, furling mast	058-036-11	Rodkicker 10, normal spring	1	86
Replacement gas spring	308-070-03	Type 10 normal	1	87
Rodkicker, conventional mast	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Furlex	027-019-57	Furlex 100s	1	110
Rigging screw covers	319-580-01		4	173
Backstay flicker	511-120-01		1	172
Lazy jacks	511-636-05		1	172

RM @ 30°
heel
kNm

BAVARIA 31

	Mast item no	Main dimensions	
Furling mast	D23-190-8458	P= 10650 mm, E= 3950 mm, SPL= 3450 mm	14.9
Conventional mast	D23-C156-8457	P= 10650 mm, E= 3950 mm, SPL= 3450 mm	14.9
Conventional mast	D23-138-8457	P= 10650 mm, E= 3950 mm, SPL= 3450 mm	14.9
Furling mast 2007	D13-F194-8733	P= 11060 mm, E= 4110 mm, SPL= 3000 mm	21.1
Furling mast 2007>	D13-F194-8733N	P= 11060 mm, E= 4110 mm, SPL= 3000 mm	21.1
Conventional mast 2007	D13-C193-8732	P= 11250 mm, E= 4110 mm, SPL=3000 mm	21.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-509-01	Spi pole track, T-25, L=2400, R34	1	149
	511-553-03	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit, aluminium	060-060-54		1	140
Spinnaker pole kit, carbon	076-076-01		1	141
Telescopic pole	060-060-58	Tele pole 60/48 SPL 3000-4500	1	132
Telescopic pole D13-F194-8733 D13-C193-8732	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	075-075-70		1	150
Gennaker Bowsprit, bowring	508-783-02	Location + method of assembly to be decided by installer.	1	151
Rodkicker, furling mast	058-036-11	Rodkicker 10, normal spring	1	86
Replacement gas spring	308-070-03	Type 10 normal	1	87
Rodkicker, conventional mast	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Furlex	027-019-57	Furlex 100s	1	110
Rigging screw covers	319-580-01		4	173
Rigging screw covers D13-F194-8733 D13-C193-8732	319-581-01		4	173
Backstay flicker	511-120-01		1	172
Lazy jacks	511-636-05		1	172

BAVARIA 32**RM @ 30° heel
kNm**

	Mast item no	Main dimensions	
Furling mast	D23-190-8494	P= 11080 mm, E= 4050 mm, SPL= 3550 mm	20,3
Furling mast -01	D23-F176-8701	P= 11085 mm, E= 4050 mm, SPL= 3550 mm	20,3
Furling mast -09	D23-F176-8755	P= 11470 mm, E= 4080 mm, SPL= 3500 mm	26,3
Conventional mast -01	D23-C175-8700	P= 11150 mm, E= 4050 mm, SPL= 3550 mm	26,3
Conventional mast -09	D23-C175-8754	P= 11770 mm, E= 4080 mm, SPL= 3500 mm	26,3
Conventional mast	D23-155-5691	P= 11150 mm, E= 4050 mm, SPL= 3550 mm	20,3

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-509-01	Spi pole track, T-25, L=2400, R34	1	149
	511-553-03	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit, aluminium	072-072-57		1	140
Spinnaker pole kit, carbon	076-076-01		1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	075-075-70		1	150
Gennaker Bowsprit, bowring	508-783-02	Location + method of assembly to be decided by installer.	1	151
Rodkicker, furling mast	058-036-11	Rodkicker 10, normal spring	1	86
Replacement gas spring	308-070-03	Type 10 normal	1	87
Rodkicker, conventional mast	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Furlex	031-021-52	Furlex 200S	1	110
Furlex Electric, retro-fit kit	539-620-11	Furlex 200E	1	125
Rigging screw covers	319-580-01		2	173
Rigging screw covers	319-581-01		2	
Backstay flicker	511-120-01		1	172
Lazy jacks	511-636-05		1	172

BAVARIA 33

RM @ 30° heel

	Mast item no	Main dimensions	kNm
Furling mast	D23-F194-8723	P= 11950 mm, E= 4250 mm; SPL= 3700 mm	28.1
Conventional mast	D23-C193-8722	P= 11950 mm, E= 4250 mm; SPL= 3700 mm	28.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-512-02	Spi pole track, T-25, L=3400, R34	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	9 m	
Spinnaker pole kit, aluminium	072-072-57		1	140
Spinnaker pole kit, carbon	076-076-01		1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	075-075-70		1	150
Gennaker Bowsprit, bowring	508-783-02	Location + method of assembly to be decided by installer.	1	151
Rodkicker	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Furlex	031-021-54	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		2	173
Rigging screw covers	319-582-01		2	
Backstay flicker	511-120-01		1	172
Lazy jacks	511-636-05		1	172

RM @ 30°
heel
kNm

BAVARIA 34

	Mast item no	Main dimensions	
Furling mast	D23-190-8456	P= 11080 mm, E= 4250 mm, SPL= 3850 mm	28.1
Conventional mast	D23-170-1111	P= 11230 mm, E= 4250 mm, SPL= 3850 mm	28.1
Furling mast 2007	D23-F194-8735	P= 11950 mm, E= 4250 mm, SPL= 3600 mm	28,4
Conventional mast 2009	D23-C193-8734NS	P= 11950 mm, E= 4250 mm, SPL= 3600 mm	28,4
Conventional mast 2007	D23-C193-8734	P= 11950 mm, E= 4250 mm, SPL= 3600 mm	28,4

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage, D23-190-8456 D23-F194-8735 D23-C193-8734 D23-C193-8734NS	515-512-02	Spi pole track, T-25, L=3400, R34	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Vertical pole stowage, D23-170-1111	515-513-02	Spi pole track, T-25, L=3400, R50	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit, aluminium	072-072-57		1	140
Spinnaker pole kit, carbon	076-076-02		1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	075-075-70		1	150
Gennaker Bowsprit, bowring	508-783-02	Location + method of assembly to be decided by installer.	1	151
Rodkicker	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Furlex	031-021-55	Furlex 200S	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		4	173
D23-F194-8735	319-581-01		2	
D23-C193-8734	319-582-01		2	
Backstay flicker	511-120-01		1	172
Lazy jacks	511-636-06		1	172

RM @ 30°
heel
kNm

BAVARIA 35 CR

	Mast item no	Main dimensions	
Furlin mast	D23-F194-8735NS	P=11950 mm, E=4250 mm, SPL=3600	29,9
Conventional mast	D23-C193-8734NS	P=11950 mm, E=4250 mm, SPL=3600	29,9
Conventional mast	K24-C211-8752	P=11950 mm, E=4250 mm, SPL=3600	29,9

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Spinnaker trim track & lift system	515-567-01	Spi pole track, RCB30, L=2400, R38		149
	511-585-03	Spi pole car RCB30		144
	405-001-85	Pole heel lift		148
		ø10 mm 16/16 PET rope	8m	
Spinnaker pole kit, aluminium	072-072-57		1	140
Spinnaker pole kit, carbon	076-076-02		1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	087-087-70		1	150
Gennaker Bowsprit, bowring	508-783-04	Location + method of assembly to be decided by installer.	1	151
Rodkicker	058-036-12	Rodkicker 10, hard spring	1	86
Replacement gas spring	308-072-04	Type 10 hard	1	87
Furlex	031-021-55	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		4	173
Backstay flicker	511-121-01		1	172
Lazy jacks	511-636-06		1	172

BAVARIA 35 MatchRM @ 30° heel
kNm

	Mast item no	Main dimensions	
Conventional mast Mkl	K24-C211-8751	P=13800 mm, E=4950 mm, SPL=3960	28.5
Conventional mast Mkll	K24-C211-8752	P=13800 mm, E=4950 mm, SPL=3830	31.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Spinnaker trim track & lift system	515-567-01	Spi pole track, RCB30, L=2400, R38		149
	511-585-03	Spi pole car RCB30		144
	405-001-85	Pole heel lift		148
		ø10 mm 16/16 PET rope	8m	
Spinnaker pole kit, aluminium	072-072-57		1	140
Spinnaker pole kit, carbon	076-076-02		1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Gennaker Bowsprit, kit	087-087-70		1	150
Gennaker Bowsprit, bowring	508-783-04	Location + method of assembly to be decided by installer.	1	151
Rodkicker	058-036-16	Rodkicker 10, extra hard spring	1	86
Replacement gas spring	308-072-05	Type 10 extra hard	1	87
Furlex	031-021-55	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		2	173
	319-581-02		2	173
Backstay flicker	511-121-01		1	172
Lazy jacks	511-636-06		1	172

RM @ 30°
heel
kNm

BAVARIA 36

	Mast item no	Main dimensions	
Furling mast	D23-213-8503	P= 12200 mm, E= 4250 mm, SPL= 3950 mm	26,3
Furling mast 2010	D23-F228-8763	P= 13560 mm, E= 5100 mm, SPL= 3730 mm	42,3
Conventional 2010	D23-C211-8762	P= 13620 mm, E= 5100 mm, SPL= 3730 mm	42,3
Furling mast	D23-F194-8703	P= 12200 mm, E= 4250 mm, SPL= 3950 mm	26,3
Conventional mast	D23-C193-8702	P= 12200 mm, E= 4250 mm, SPL= 3950 mm	26,3
Conventional mast	D23-170-8502	P= 12200 mm, E= 4250 mm, SPL= 3950 mm	26,3

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage, D23-213-8503 D23-C193-8702 D23-F194-8703				
D23-F228-8763	515-512-02	Spi pole track, T-25, L=3400, R34	1	149
	515-512-02	Spi pole track, T-25, L=3400, R34	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	9 m	
Vertical pole stowage, D23-170-8502				
	515-513-02	Spi pole track, T-25, L=3400, R50	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	9 m	
Spinnaker pole kit, aluminium	072-072-57	Not for model 2010	1	140
Spinnaker pole kit, aluminium	084-084-57	For model 2010	1	140
Spinnaker pole kit, carbon	076-076-02	Not for model 2010	1	141
Spinnaker pole kit, carbon	088-088-01	For model 2010	1	141
Telescopic pole	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Telescopic pole	084-084-60	For mast model 2010	1	132
Gennaker Bowsprit, kit	087-087-70		1	150
Gennaker Bowsprit, bowring	508-783-04	Location + method of assembly to be decided by installer.	1	151
Rodkicker	058-036-12	Type 10 hard spring	1	86
Replacement gas spring	308-071-04	Type 10 hard	1	87
Rodkicker for model 2010	076-046-16	Type 20 super spring	1	86
Replacement gas spring	308-073-05	Type 20 super spring	1	87
Furlex	031-021-55	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		4	173
Rigging screw covers	319-581-01	For model 2010	2	173
Rigging screw covers	319-582-01	For model 2010	2	173
Backstay flicker	511-121-01		1	172

BAVARIA 36

RM @ 30°

CRheel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F228-8763	P= 13560 mm, E= 5100 mm, SPL= 3730 mm	42,3
Conventional mast	D23-C211-8762	P= 13620 mm, E= 5100 mm, SPL= 3730 mm	42,3

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage,				
	515-512-02	Spi pole track, T-25, L=3400, R34	1	149
	511-553-01	Spinn pole slide	1	145
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	9 m	
Spinnaker pole kit, aluminium	084-084-57		1	140
Spinnaker pole kit, carbon	088-088-01		1	141
Telescopic pole	084-084-60		1	132
Gennaker Bowsprit, kit	087-087-70		1	150
Gennaker Bowsprit, bowring	508-783-04	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-16	Type 20 super spring	1	86
Replacement gas spring	308-073-05	Type 20 super spring	1	87
Furlex	031-021-57	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	125
Rigging screw covers	319-581-01		2	173
Rigging screw covers	319-582-01		2	173
Backstay flicker	511-121-01		1	172
Lazy jacks	511-636-06		1	172

BAVARIA 37

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-213-8443	P= 13200 mm, E= 4100 mm, SPL= 3350 mm	30.4
Furling mast	D23-F212-8725	P= 12650 mm, E= 4550 mm, SPL= 3950 mm	41.0
Conventional mast	D23-C211-8724	P= 12650 mm, E= 4550 mm, SPL= 3950 mm	41,0
Conventional mast	D23-170-8444	P= 13200 mm, E= 4100 mm, SPL= 3350 mm	30.4

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage,		Spi pole track, RCB30, L=3400, R38		
	515-550-02		1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-81	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit D23-213-8443 D23-170-8444				
Aluminium	072-072-57		1	140
Carbon	076-076-01		1	141
Spinnaker pole kit D23-F212-8725 D23-C211-8724				
Aluminium	087-087-57		1	140
Carbon	088-088-01		1	141
Telescopic pole D23-213-8443 D23-170-8444	072-072-61	Tele pole 72/60 SPL 3500-5250	1	132
Telescopic pole D23-F212-8725 D23-C211-8724	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit D23-213-8443 D23-170-8444	087-087-70		1	150
Gennaker Bowsprit, bowring	508-783-04	Location + method of assembly to be decided by installer.	1	151
Gennaker Bowsprit kit D23-F212-8725 D23-C211-8724	099-099-70		1	150
Gennaker Bowsprit, bowring	508-754-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex D23-213-8443 D23-170-8444	031-021-55	Furlex 200s	1	110

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Gennaker Bowsprit kit D23-213-8443 D23-170-8444	087-087-70		1	145
Gennaker Bowsprit, bowring	508-759-04	Location + method of assembly to be decided by installer.	1	145
Gennaker Bowsprit kit D23-F212-8725 D23-C211-8724	099-099-70		1	145
Gennaker Bowsprit, bowring	508-754-05	Location + method of assembly to be decided by installer.	1	145
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	82
Replacement gas spring	308-072-04	Type 20 hard	1	83
Furlex D23-213-8443 D23-170-8444	031-021-55	Furlex 200s	1	105
Furlex Electric, retro-fit kit	539-620-13	Furlex 200E	1	120
Furlex D23-F212-8725 D23-C211-8724	031-021-57	Furlex 200s	1	105
Furlex Electric, retro-fit kit	539-620-15	Furlex 200E	1	120
Rigging screw covers	319-581-01		2	159
Rigging screw covers	319-582-01		2	159
Backstay flicker	511-121-01		1	166
Lazy jacks	511-636-06		1	166

BAVARIA 38

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-235-8506	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42.0
Furling mast	D23-235-8394	P= 13550 mm, E= 4650 mm, SPL= 4000 mm	47.7
Furling mast	D23-F228-8705	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42.0
Conventional mast	D23-189-8393	P= 13550 mm, E= 4650 mm, SPL= 4000 mm	47.7
Conventional mast	D23-189-8505	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42.0
Conventional mast	D23-C227-8704	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42.0
Conventional mast	D23-C211-8736	P= 12650 mm, E= 4550 mm, SPL= 3950 mm	43.0
Furling mast	D23-F212-8737	P= 12650 mm, E= 4550 mm, SPL= 3950 mm	43.0

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-189-8505 D23-189-8393	515-552-02	Spi pole track, RCB30, L=3400, R54	1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	12 m	
Vertical pole stowage, D23-235-8506 D23-F228-8705 D23-235-8394 D23-C227-8704 D23-C211-8736 D23-F212-8737	515-550-02	Spi pole track, RCB30, L=3400, R38	1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit				
Aluminium	084-084-57		1	140
Carbon	088-088-02		1	141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	031-021-76	Furlex 200s for masts >2007	1	110
Furlex	031-021-81	Furlex 200s for masts 2007>	1	110
Furlex Electric, retro-fit kit	539-620-15	Furlex 200E	1	125
Rigging screw covers	319-583-01		4	173
Lazy jacks D23-189-8393	511-636-06		1	172
Lazy jacks D23-189-8505 D23-C227-8704 D23-C211-8736	511-637-06		1	172

BAVARIA 38 Match

Mast item no

Main dimensions

RM @ 30° heel
kNm

Conventional mast	K24-C211-0079	P= 13550 mm, E= 5000 mm, PL= 4500	39.8
-------------------	---------------	--------------------------------------	------

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Spinnaker trim track & lift system	515-567-02	Spi pole track, RCB30, L=2400, R38	1	149
	511-585-03	Spi pole car RCB30	1	144
	405-001-85	Pole heel lift	1	148
		ø10 mm 16/16 PET rope	8m	
Spinnaker pole kit, aluminium	096-096-68		1	140
Spinnaker pole kit, carbon	088-088-02			141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit, kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	031-021-57	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-620-15	Furlex 200E	1	125
Rigging screw covers	319-582-01		4	173
Lazy jacks	511-636-06		1	172

BAVARIA 39RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F246-8721	P= 14050 mm, E= 4900 mm, SPL= 4400 mm	54
Conventional mast	D23-C245-8720	P= 14050 mm, E= 4900 mm, SPL= 4400 mm	54

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-550-02	Spi pole track, RCB30, L=3400, R38	1	149
	511-585-01	Spinn pole car RCB 30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit				
Aluminium	096-096-68		1	140
Carbon	088-088-02		1	141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-52	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	125
Rigging screw covers	319-582-01		2	173
Rigging screw covers	319-583-01		2	
Lazy jacks	511-637-06		1	172

BAVARIA 40**RM @ 30° heel
kNm**

	Mast item no	Main dimensions	
Furling mast	D23-235-8483	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42.5
Furling mast	D23-235-8485	P= 13350 mm, E= 4750 mm, SPL= 4400 mm	49.1
Conventional mast	D23-206-8482	P= 13350 mm, E= 4750 mm, SPL= 4400 mm	49.1
Conventional mast	D23-189-8484	P= 13550 mm, E= 4750 mm, SPL= 4400 mm	42,5
Furling mast	D23-F246-8739NS	P= 14050 mm, E= 4900 mm, SPL= 4400 mm	49,5
Conventional mast	D23-C245-8738NS	P= 14050 mm, E= 4900 mm, SPL= 4400 mm	49,5

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-235-8483 D23-235-8485 D23-F246-8739NS D23-C245-8738NS	515-550-02	Spi pole track, RCB30, L=3400, R38	1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Vertical pole stowage D23-206-8482 D23-189-8484	515-552-02	Spi pole track, RCB30, L=3400, R54	1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	12 m	
Spinnaker pole kit				
Aluminium	096-096-68		1	140
Carbon	088-088-02		1	141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-51	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	125
Rigging screw covers	319-582-01		2	173
Rigging screw covers	319-583-01		2	173
Lazy jacks	511-636-06		1	172

BAVARIA 40CR

RM @ 30°
heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F246-8761	P= 15210 mm, E=5270 mm, SPL= 4220 mm	57,0
Conventional mast	D23-C245-8760	P= 15360 mm, E= 5270 mm, SPL= 4220 mm	57,0

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-550-02	Spi pole track, RCB30, L=3400, R38	1	149
	511-585-01	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	10 m	
Spinnaker pole kit				
Aluminium	096-096-68		1	140
Carbon	088-088-02		1	141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	094-056-11	Type 30 Normal	1	86
Replacement gas spring	308-072-03	Type 30 Normal	1	87
Furlex	039-027-52	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	125
Rigging screw covers	319-583-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 40

Vision

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F265-8727	P= 15800 mm, E= 5600 mm, SPL= 3950 mm	63
Conventional mast	D23-C264-8726	P= 15800 mm, E= 5600 mm, SPL= 3950 mm	63

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-550-02	Spi pole track, RCB30, L=3400, R38, 6.4x12.7 rivets	1	149
	511-585-01	Spinn pole car RCB30	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit				
Aluminium	096-096-68		1	140
Carbon	088-088-01			141
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	094-056-11	Rodkicker 30, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	039-027-90	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 41RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-232-8004	P= 14250 mm, E= 4950 mm, SPL= 4400 mm	52.1
Furling mast	D23-F246-8709	P= 14250 mm, E= 4950 mm, SPL= 4400 mm	52.1
Conventional mast	D23-206-8003	P= 14250 mm, E= 4950 mm, SPL= 4400 mm	52.1
Conventional mast	D23-C245-8708	P= 14250 mm, E= 4950 mm, SPL= 4400 mm	52.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-232-8004	515-550-06	Spi pole track, RCB30, L=3400, R38, long rivets	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Vertical pole stowage D23-F246-8709 D23-C245-8708	515-550-02	Spi pole track, RCB30, L=3400, R38	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Vertical pole stowage D23-206-8003	515-552-02	Spi pole track, RCB30, L=3400, R54	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit Aluminium	096-096-67		1	140
	Carbon	088-088-21		141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-84	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	125
Rigging screw covers	319-582-01		2	173
Rigging screw covers	319-583-01		2	173
Lazy jacks	511-637-06		1	172

BAVARIA 42

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F246-8707	P= 14650 mm, E= 5100 mm, SPL= 5000 mm	59.9
Furling mast	D23-232-8415	P= 14850 mm, E= 4950 mm, SPL= 5000 mm	48.3
Furling mast	D23-232-1093	P= 14450 mm, E= 4950 mm, SPL= 4840 mm	58.7
Conventional mast	D23-C245-8706	P= 14650 mm, E= 5100 mm, SPL= 5000 mm	59.9
Conventional mast	D23-206-1104	P= 14850 mm, E= 4950 mm, SPL= 5000 mm	48.3
Conventional mast	D23-206-8405	P= 14450 mm, E= 4950 mm, SPL= 4840 mm	58.7

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-F246-8707 D23-C245-8706	515-551-12	Spi pole track, RCB30, L=4800, R38, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Vertical pole stowage D23-232-8415 D23-232-1093	515-551-06	Spi pole track, RCB30, L=4800, R38	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	12 m	
Vertical pole stowage D23-206-1104 D23-206-8405	515-553-02	Spi pole track, RCB30, L=4800, R54	1	149
	511-585-04	Spinn pole car RCB30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit				
Aluminium	096-096-67		1	140
Carbon	088-088-22			141
Furlex	039-027-52	Furlex 300	1	112
Telescopic pole (Only applicable for RM 48,3 versions)	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit (Only applicable for RM 48,3 versions)	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker D23-232-1093	076-046-14	Rodkicker 20L, normal spring	1	86
Replacement gas spring	308-071-03	Type 20 normal	1	87
Rodkicker D23-206-8405	076-046-15	Rodkicker 20L, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Rodkicker D23-F246-8707 D23-C245-8706 D23-232-8415 D23-206-1104	076-046-12	Rodkicker 20, hard spring	1	82
Replacement gas spring	308-072-04	Type 20 hard	1	83
Furlex	039-027-52	Furlex 300s	1	105
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	120
Rigging screw covers	319-582-01		2	159
Rigging screw covers	319-583-01		2	159
Lazy jacks D23-206-1104 D23-206-8405	511-636-06		1	166
Lazy jacks D23-C245-8706	511-637-06		1	166

BAVARIA 42

Match

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Conventional mast	K34-C227-8750	P= 14900 mm, E= 5750 mm, SPL= 4500	46.8

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Spinnaker trim track & lift system	515-567-02	Spi pole track, RCB30, L=2400, R38		149
	511-585-03	Spi pole car RCB30		144
	405-001-85	Pole heel lift		148
		ø10 mm 16/16 PET rope	8m	
Spinnaker pole kit, aluminium	096-096-68		1	140
Spinnaker pole kit, carbon	088-088-02			141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit, kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-52	Furlex 200s	1	110
Furlex Electric, retro-fit kit	539-638-11	Furlex 300E	1	125
Rigging screw covers	319-582-01		2	173
	319-583-02		2	
Lazy jacks	511-636-06		1	172

BAVARIA 43

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F246-8743	P= 14650 mm, E= 5100 mm, SPL= 5000 mm	61,0
Conventional mast	D23-C245-8742	P= 14650 mm, E= 5100 mm, SPL= 5000 mm	61,0

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-551-02	Spi pole track, RCB30, L=4800, R38	1	149
	511-585-04	Spinn pole car RCB 30	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit				
Aluminium	096-096-67		1	140
Carbon	090-090-23		1	141
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	076-046-12	Rodkicker 20, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-54	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-582-01		2	173
Rigging screw covers	319-583-01		2	173
Lazy jacks	511-637-06		1	172

BAVARIA 44 AC

	Mast item no	Main dimensions	heel kNm
Furling mast	D33-F246-8711	P= 15200 mm, E= 5600 mm, SPL= 5450 mm	66.1
Furling mast	D23-232-8488	P= 14790 mm, E= 4950 mm, SPL= 5360 mm	66.1
Furling mast	D23-232-8002	P= 15200 mm, E= 5600 mm, SPL= 5450 mm	66.1
Furling mast	D23-260-8490	P= 15250 mm, E= 5100 mm, SPL= 5360 mm	66.1
Conventional mast	D33-C245-8710	P= 15200 mm, E= 5600 mm, SPL= 5450 mm	66.1
Conventional mast	D23-224-8001	P= 15200 mm, E= 5600 mm, SPL= 5450 mm	66.1
Conventional mast	D23-224-3368	P= 14790 mm, E= 4950 mm, SPL= 5360 mm	66.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D33-F246-8711	515-551-12	Spi pole track, RCB30, L=4800, R38, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Vertical pole stowage D23-260-8490	515-551-06	Spi pole track, RCB30, L=4800, R38	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø10 mm 16/16 PET rope	12 m	
Vertical pole stowage D23-232-8488 D23-224-8001 D23-224-3368	515-553-12	Spi pole track, RCB30, L=4800, R54, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit Aluminium	099-099-67		1	140
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Toggle for kickerbracket	528-083	Boom toggle H=80 W=30 ø16,5 Stainless	1	
Washer	164-420	Fit above toggle	1	
Rodkicker D23-232-8488 D23-224-3368	076-046-12	Rodkicker 20S, hard spring	1	86
Replacement gas spring	308-072-04	Type 20 hard	1	87
Furlex	039-027-54	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-583-01		2	173

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Rigging screw covers	319-583-01		2	159
Rigging screw covers	319-584-01		2	159
Rigging screw covers D23-260-8490	319-584-01		4	159
Lazy jacks D23-232-8488 D23-224-3368	511-636-06		1	166
Lazy jacks D33-C245-8710 D23-224-8001	511-637-06		1	166

BAVARIA 44

RM @ 30°

Vision

heel

kNm

	Mast item no	Main dimensions	
Furling mast	D23-F286-8729	P= 16650 mm, E= 5750 mm, SPL= 4700 mm	94.5
Conventional mast	D23-C285-8728	P= 16650 mm, E= 5750 mm, SPL= 4700 mm	94.5

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-551-07	Spi pole track, RCB30, L=4800, R38, 6.4x17.8 rivets	1	149
	511-585-04	Spinn pole car RCB30	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	13 m	
Spinnaker pole kit				
Aluminium	099-099-67		1	140
Rodkicker	094-056-11	Rodkicker 30, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	039-027-91	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-584-01		2	173
Rigging screw covers	319-585-01		2	173
Lazy jacks	511-637-06		1	172

BAVARIA 45

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F286-8757	P= 16940 mm, E= 5550 mm, SPL= 5510 mm	84,1
Conventional mast	D23-C285-8756	P= 17190 mm, E= 5550 mm, SPL= 5510 mm	84,1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage				
	515-550-06	Spi pole track, RCB30, L=3400	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Spinnaker pole kit				
Aluminium	099-099-57		1	140
Carbon	090-090-23		1	141
Telescopic pole	084-084-60	Tele pole 84/72 SPL 4000-5920	1	132
Gennaker Bowsprit kit	099-099-70		1	150
Gennaker Bowsprit, bowring	508-794-05	Location + method of assembly to be decided by installer.	1	151
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	039-027-55	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-584-01		2	173
Rigging screw covers	319-583-01		2	173
Lazy jacks	511-637-06		1	172

BAVARIA 46RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F265-8713	P= 15900 mm, E= 5600 mm, SPL= 5900 mm	84
Furling mast	D23-260-8266	P= 16150 mm, E= 4850 mm, SPL= 5800 mm	80
Conventional mast	D23-C285-8712	P= 15900 mm, E= 5600 mm, SPL= 5900 mm	84
Conventional mast	D24-237-8267	P= 16150 mm, E= 4850 mm, SPL= 5800 mm	78

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-F265-8713 D23-260-8266 D23-C285-8712	515-551-12	Spi pole track, RCB30, L=4800, R38, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Vertical pole stowage D24-237-8267	515-553-12	Spi pole track, RCB30, L=4800, R54, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	039-027-54	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 47

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D21-290-8471	P= 15290 mm, E= 5350 mm, SPL= 5150 mm	83.9
Furling mast	D23-260-8474	P= 16400 mm, E= 4950 mm, SPL= 5800 mm	83.4
Conventional mast	D23-237-8475	P= 16400 mm, E= 4950 mm, SPL= 5800 mm	83.4
Conventional mast	D21-274-8470	P= 15520 mm, E= 5350 mm, SPL= 5150 mm	83.9
Conventional mast	D23-C285-8746	P= 15900 mm, E= 5600 mm, SPL= 5900 mm	86,0
Furling mast	D23-F286-8747	P= 15900 mm, E= 5600 mm, SPL= 5900 mm	86,0

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-260-8474 D23-C285-8746 D23-F286-8747	515-551-12	Spi pole track, RCB30, L=4800, R38, long rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	405-001-82	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Vertical pole stowage D21-290-8471 D21-274-8470 D23-237-8475	515-553-06	Spi pole track, RCB30, L=4800, R54, long rivets	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	405-001-82	Pole heel lift	1	148
	508-145	Stowage bracket	1	148
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex D23-260-8474 D23-237-8475	039-027-54	Furlex 300s	1	110
Furlex D23-C285-8746 D23-F286-8747	039-027-54	Furlex 300s	1	110
Furlex Electric, retro-fit kit	539-638-13	Furlex 300E	1	125
Furlex D21-290-8471 D21-274-8470	049-034-52	Furlex 400s	1	110
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 49

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F286-8715	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7
Furling mast	D23-260-8509	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7
Furling mast	D23-290-8509	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7
Conventional mast	D23-C285-8714	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7
Conventional mast	D23-274-8510	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7
Conventional mast	D23-237-8510	P= 16500 mm, E= 5600 mm, SPL= 6120 mm	93.7

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-F286-8715 D23-C285-8714 D23-260-8509	515-551-12	Spi pole track, RCB30, L=4800, R38, ø6,4x17,8 rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Vertical pole stowage D23-290-8509 D23-237-8510 D23-274-8510	515-553-17	Spi pole track, RCB30, L=4800, R54, ø6,4x25 rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	049-034-52	Furlex 400s	1	110
Furlex Electric, retro fit kit	539-763-11		1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 50**RM @ 30° heel
kNm**

	Mast item no	Main dimensions	
Furling mast	D23-F286-8717	P= 17250 mm, E= 5600 mm, SPL= 6250 mm	99.8
Furling mast	D21-290-8416	P= 16390 mm, E= 5100 mm, SPL= 6000 mm	84.8
Conventional mast	D23-C285-8716	P= 17250 mm, E= 5600 mm, SPL= 6250 mm	99.8
Conventional mast	D21-274-8449	P= 16620 mm, E= 5100 mm, SPL= 5900 mm	84.8

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage D23-F286-8717 D23-C285-8716	515-551-12	Spi pole track, RCB30, L=4800, R38, ø6.4x17.8 rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Vertical pole stowage D21-290-8416 D21-274-8449	515-553-06	Spi pole track, RCB30, L=4800, R54, ø6.4x17.8 rivets	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	049-034-52	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11		1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 50

Vision

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F305-8731	P= 18260 mm, E= 5950 mm, SPL= 5800 mm	107.1
Conventional mast	D23-C304-8730	P= 18510 mm, E= 5950 mm, SPL= 5800 mm	107.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-553-06	Spi pole track, RCB30, L=4800, R54, ø6.4x17.8 rivets	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-12	Rodkicker 30S, hard spring	1	86
Replacement gas spring	308-073-04	Type 30 hard	1	87
Furlex	049-034-52	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11			125
Rigging screw covers	319-585-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 50

Vision

Keelspepped

RM @ 30°
heel
kNm

	Mast item no	Main dimensions	
Furling mast	K23-F305-8741-1	P= 18260 mm, E= 5950 mm, SPL= 5800 mm	107.1
Conventional mast	K23-C304-8740-1	P= 18510 mm, E= 5950 mm, SPL= 5800 mm	107.1

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-553-02	Spi pole track, RCB30, L=4800, R54, ø6.4x17.8 rivets	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-12	Rodkicker 30S, hard spring	1	86
Replacement gas spring	308-073-04	Type 30 hard	1	87
Furlex	049-034-52	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11			125
Rigging screw covers	319-585-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 51

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F286-8749	P= 17250 mm, E= 5600 mm, SPL= 6250 mm	95,2
Conventional mast	D23-C285-8748	P= 17250 mm, E= 5600 mm, SPL= 6250 mm	95,2

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage	515-551-12	Spi pole track, RCB30, L=4800, R38, ø6.4x17.8 rivets, bedding	1	149
	511-585-04	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-090-02	Loop & support	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-11	Rodkicker 30S, normal spring	1	86
Replacement gas spring	308-072-03	Type 30 normal	1	87
Furlex	049-034-52	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11		1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 55

CR (09-)

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F324-8745	P= 19000 mm, E= 6760 mm, SPL= 6510 mm	127,7
Conventional mast	D23-C321-8744	P= 19000 mm, E= 6760 mm, SPL= 6510 mm	127,7

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage for D23-F324-8745	515-553-07	TRK RCB30W-4800	1	149
Vertical pole stowage for D23-C321-8744	515-553-03	TRK RCB30W-4800	1	149
	511-585-09	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-215	Loop in deck	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-12	Rodkicker 30S, hard spring	1	86
Replacement gas spring	308-073-04	Type 30 hard	1	87
Furlex	049-034-53	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11		1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172

BAVARIA 55

CR (10-)

RM @ 30° heel
kNm

	Mast item no	Main dimensions	
Furling mast	D23-F324-8759	P= 19250 mm, E= 6760 mm, SPL= 6510 mm	127,7
Conventional mast	D23-C321-8758	P= 19250 mm, E= 6760 mm, SPL= 6510 mm	127,7

Equipment	Item no	Remark	Quantity required	Seldén catalogue page
Vertical pole stowage for D23-F324-8759	515-553-07	TRK RCB30W-4800	1	149
Vertical pole stowage for D23-C321-8758	515-553-03	TRK RCB30W-4800	1	149
	511-585-09	Spinn pole car RCB30, Bayonet	1	144
	406-001-83	Pole heel lift	1	148
	508-215	Loop in deck	1	149
		ø12 mm 16/16 PET rope	15 m	
Rodkicker	094-056-12	Rodkicker 30S, hard spring	1	86
Replacement gas spring	308-073-04	Type 30 hard	1	87
Furlex	049-034-53	Furlex 400s	1	110
Furlex Electric, retro-fit kit	539-763-11		1	125
Rigging screw covers	319-584-01		4	173
Lazy jacks	511-637-06		1	172