SAFETY DATA SHEET

Version Number: 02

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name 9 Second Chip Fix

Other Names Waterbased filler, Product Code 200100-200110

Recommended Use The cured film is smooth and non-yellowing with high surface hardness and

excellent flexibility. Suitable for floors.

Company Name MagicEzy PTY Limited

Address PO Box 5083, Maroochydore, QLD 4558

Australia

Emergency Tel +6175456 4110Available Monday – Friday, 8:00 a.m. – 5:00 p.m.

Phone USA Poisons Centre 1-800 222 1222

Australian National Poison Centre: 131-126

Fax

SECTION 2.	HAZARDSIDENTIFICATION	
Hazard Classification	Classified as Non Hazardous according to the criteria of NOHSC	
Risk Phrases	R20/21/22 Harmful by inhalation, in contact with the skin and if swallowed. R36/38 Irritating to eyes and skin.	

R41 Risk of serious damage to the eyes

Safety Phrases S24/25 Avoid contact with skin and eyes.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion % (v/v)
	Proprietary Ingredients	Proprietary	70-85
	Water	7732-18-5	10-20
	Propylene Glycol	57-55-6	5- 10
	Zinc Oxide	1314-13-2	< 2

SECTION 4. FIRST AID MEASURES

Swallowed If swallowed dilute by giving two glasses of water to drink. DO NOT

induce vomiting. Never give anything by mouth to an unconscious person.

Seek medical attention immediately.

Eye Immediately flush eyes with running water while holding eyelids apart and

away from the eyes, flush for at least 15 minutes.

Seek medical attention without delay.

Skin Wash affected area thoroughly with soap and water.

Inhaled Provide fresh air.

Aggravated medical conditions caused by exposure.

Can be irritating to skin with repeated or prolonged contact.

Chronic Health Effects None anticipated with this product.

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher Foam.

Dry chemical powder. Carbon dioxide.

Hazards from combustion products

Oxides of Carbon and Nitrogen.

Special protective precautions and

Material can splatter above 100°C. Polymer film can burn.

precautions and equipment for fire fighters

Do not allow contaminants and water from fire fighting to enter drains or

water course.

Hazchem code Not Specified

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency procedures In confined areas wear protective equipment. Keep spectators away and avoid

breathing dust or vapours. Floor may be slippery, use care to avoid falling.

Methods and materials for containment and clean up. Minor spills

Contain and absorb small quantities with vermiculate or other absorbent

material.

Clean up spills immediately.

Collect residues in a waste container.

Major spills

Prevent, by any means available, spillage from entering drains or water course.

Contain spill with sand, earth or vermiculite.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Transfer liquid to containers for recovery or disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid damaging containers/ tubes. Keep lids on containers/tubes when not in

use

People handling this product should wash their hands and face before eating

and/or smoking.

Handle containers/ tubes carefully to prevent damage and/or spillage.

Precautions for safe handling

Avoid damaging containers/ tubes. Keep lids on containers / tubes when not in

use.

People handling this product should wash their hands and face before eating

and/or smoking.

Handle containers/ tubes carefully to prevent damage and/or spillage.

Conditions for safe storage including any incompatibilities

Storage temperatures: Max: 35°C, Min: 5°C. Avoid excessive changes in temperature.

Avoid storing with strong oxidizers, acids and alkalis

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards for mixture

From the NOHSC "Exposure Standards for Atmospheric Contaminants in the

Occupational Environment" Refer

www.nohsc.gov.au/OHSInformation/publications

Component Breathing Zone ppm Breathing Zone ppm 25

Breathing Zone mg/m³ M

Mixture conc. (%)

<10

Personal Protection

Eyes. Safety glasses with side shields.

Tightly fivying safety goggles

Face shield

Hands/Feet Wear chemical protective gloves.

Wear safety footware.

Other Protective suit.

Eyewash unit

Respirator In a well ventilated area and spray booths that maintain vapour levels below

the recommended standards, no respiratory equipment is required. In confined spaces, or areas with limited ventilation where any exposure standard may be exceeded, wear a suitable respirator. AS/NZS 1716.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White colored liquid Odour Mild amine odor

pH 7-10
Vapour pressure N/A
Vapour density N/A
Boiling point 100 C
Melting Point 0 C

Solubility Can be diluted with water **Density Approximately** 0.780 Kg/L

Percent Volatile by Vol < 20

SECTION 10. STABILITY AND REACTIVITY

Chemical stability Product is considered stable under normal storage and handling conditions.

Conditions to avoid Freezing, excessive heat, repaid changes in temperature and incompatible

materials.

Incompatible materials Strong oxidisers, acids and alkalis.

Hazardous decomposition

products

Oxides of carbon and nitrogen, and smoke.

Hazardous reactions Hazardous polymerisation will not occur.

SECTION 11. TOXICOLOGICALINFORMATION

No data available for this product. .Refer to individual raw materials.

Polyamide resin

Oral LD₅₀ (rat):> 5,000 mg/Kg. Risk of serious damage to eyes

SECTION 12. ECOLOGICAL INFORMATION

No data available for this product.

This product should not be allowed to enter drains or water courses.

Polyamide resin

Biodegradability Not readily biodegradable.

Avoid subsoil penetration

Prevent product from entering drains Do not contaminate surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods and

containers

Special precautions for

landfill or incineration

Consult State Land Waste Management Authority for disposal.

Incinerate residue at an approved site.

Recycle containers if possible, or dispose of in an approved landfill.

SECTION 14. TRANSPORTINFORMATION

Not specified

UN Number

UN Proper shipping name

ne Water Based filler. Non Hazardous.

Class

Not restricted

Subsidiary risk

None

Packing Group

N.O.S.

Special precautions for

user

The use of a quantity of material in an unventilated or confined space may result in increased exposure or an irritating atmosphere developing. Before commencing

consider the use of mechanical ventilation to control exposure.

Hazchem Code Not specified.

SECTION 15. REGULATORY INFORMATION

Do not empty into drains. Keep away from food and drink.

SECTION 16. OTHER INFORMATION

Date of Preparation: 5th December 2014

Date of Review: N/A

Literature references.

MSDS's for individual raw materials.

 $\underline{www.toxnet.nlm.gov/cgi\text{-}bin/sis/htmlgen/TOXLINE}$

Abbreviations:

NOHSC National Occupational Health and Safety Commission

TWA Time weighted average

STEL Short term exposure limit

CAS Number Chemical Abstract Service registry number

TLV Threshold limit value

Safety data sheets are updated frequently. Please ensure that you have a current copy.

END OF SDS