


INBOARD CYLINDERS

DIMENSIONS

Via Milite Ignoto 8A
16012 Busalla (GE) – Italy
T +39 010 9620300
F +39 010 9620333
ul@ultraflexgroup.it
www.ultraflexgroup.it

UC69-I, UC116-I, UC168-I, UC215-I




	UC69-I	UC116-I	UC168-I	UC215-I
A	644 mm – 25.33"	741 mm – 22.17"	792 mm – 31.18"	941 mm – 37.05"
B	494 mm – 19.43"	563 mm – 29.17"	614 mm – 24.17"	713 mm – 28.07"
C (corsa)	150 mm – 5.9"	178 mm – 7"	178 mm – 7"	228 mm – 8.98"
D	40 mm – 1.57"	40 mm – 1.57"	40 mm – 1.57"	40 mm – 1.57"
E	73 mm – 2.87"	105 mm – 4.13"	105 mm – 4.13"	105 mm – 4.13"
STELO (dia.)	25 mm – 0.98"	32 mm – 1.25"	40 mm – 1.57"	40 mm – 1.57"

INBOARD CYLINDERS

DIMENSIONS

Via Milite Ignoto 8A
16012 Busalla (GE) – Italy
T +39 010 9620300
F +39 010 9620333
info@ultraflexgroup.it
www.ultraflexgroup.it

UC293-I, UC378-I




	UC293-I	UC378-I
A	178 mm – 7"	228 mm – 9"
B	163 mm – 6.4"	199 mm – 7.8"
C	134 mm – 5.2"	163 mm – 6.4"
D	506 mm – 19.9"	592 mm – 23.3"
E	107 mm – 4.2"	132,5 mm – 5.2"
F	40 mm – 1.6"	40 mm – 1.6"
G	125 mm – 4.9"	125 mm – 4.9"
STELO Ø	20 mm – 0.8"	20 mm – 0.8"

INBOARD CYLINDERS

DIMENSIONS

Via Milite Ignoto 8A
16012 Busalla (GE) – Italy
T +39 010 9620300
F +39 010 9620333
info@ultraflexgroup.it
www.ultraflexgroup.it

UC339-I, UC442-I, UC530-I



	UC339-I	UC442-I	UC530-I
A	230 mm – 9"	300 mm – 12"	250 mm – 10"
B	200 mm – 7.9"	260 mm 10.2"	218 mm 8.6"
C	164 mm – 6.5"	212 mm – 8.3"	178 mm – 7.0"
D	637 mm – 25.1"	749 mm – 29.5"	723 mm – 28.5"
E	147 mm – 5.8"	183 mm – 7.2"	168 mm – 6.6"
F	70 mm – 2.8"	70 mm – 2.8"	120 mm – 4.7"
G	110 mm – 4.3"	110 mm – 4.3"	104 mm – 4.1"
STELO Ø	25 mm – 0.98"	25 mm – 0.98"	30 mm – 1.18"